

## Berodual® Respimat®

### To whom it may concern:

The following description shall help patients to inform international authorities about their medication. It is not supposed to replace the original patient leaflet. Patients are recommended to keep it together with the medication and the original patient leaflet.

### Prescribed drug

|   |  |
|---|--|
| <b>Trade name</b>                             | <b>Berodual®* Respimat® 20/50 mcg/dose solution for inhalation</b>   |
| <b>Dosage form:</b>                           | Solution for inhalation  |
| <b>International name of active substance</b> | ipratropium bromide<br>and fenoterol hydrobromide  |
| <b>Concentration of active substance</b>      | The delivered dose contains:<br>ipratropium bromide 1 H <sub>2</sub> O 20 mcg<br>and fenoterol hydrobromide 50 mcg   |
| <b>Indications</b>                            | <b>BERODUAL</b> Respimat is indicated for prevention and treatment of bronchospasm in asthma and chronic obstructive pulmonary disease (COPD). A concomitant anti-inflammatory therapy should be considered always.  |
| <b>Dosage</b>                                 | <p>The dosage should be adapted to the individual requirements. Unless otherwise prescribed, the following dosages are recommended for adults:</p> <p><b>Acute asthma attacks</b></p> <p>1 actuation is sufficient for prompt symptom relief in many cases. In more severe cases, if breathing has not noticeably improved after 5 minutes, 1 further actuation may be taken.</p> <p>If an attack cannot be relieved by 2 actuations, further actuations may be required. In these cases, patients should consult the doctor or the nearest hospital immediately.</p> <p><b>Intermittent and long-term treatment</b> (in asthma Berodual Respimat should be used only on an as-needed basis)</p> |

|                        |  |
|------------------------|--|
|                        | 1 actuation per administration, up to 4 times a day. (The total daily dose should not exceed 6 actuations) |
| <b>Available Sizes</b> | 4.5 ml            120 actuations<br>2x 4.5 ml        2x120 actuations                                      |

Lieber Patient,

bitte beachten Sie, dass diese kurze Beschreibung ausschließlich dazu dient, bei Auslandsreisen die Behörden Ihres Einreiselandes über Art und Inhalt Ihres Arzneimittels zu informieren. Sie ersetzt nicht den Original-Beipackzettel. Wir empfehlen Ihnen, diese Beschreibung zusammen mit Ihrem Arzneimittel und dem Beipackzettel aufzubewahren und auf Verlangen vorzuzeigen.

Mit freundlichen Grüßen  
Boehringer Ingelheim Pharma GmbH & Co. KG