

Sifrol®

To whom it may concern:

The following description shall help patients to inform international authorities about their medication. It is not supposed to replace the original patient leaflet. Patients are recommended to keep it together with the medication and the original patient leaflet.

Prescribed drug

Trade name	Sifrol®
Dosage form:	Tablets
International name of active substance	Pramipexole
Concentration of active substance	0,088, 0,18, 0,35, or 0,7 mg pramipexole (dosages refer to the base formulation of pramipexole) excipients: mannitol, corn starch, silicon dioxide, polyvidone, magnesium stearate
Indications	Sifrol® is indicated in the treatment of signs and symptoms of idiopathic Parkinson's disease. It may be used as monotherapy or in combination with levodopa Sifrol® is indicated for the symptomatic treatment of idiopathic Restless Legs Syndrome
Dosage	Parkinson's disease: The tablets should be taken orally, swallowed with water, and can be taken either with or without food. The daily dosage is administered in equally divided doses 3x per day. Maintenance treatment: The individual dose should be in the range of 0,264 mg to a maximum of 3,3 mg per day. Restless Legs Syndrome: The tablets should be taken orally, swallowed with water, and can be taken either with or without food. The recommended starting dose of Sifrol® is 0,088 mg taken once daily 2 – 3 hours before bedtime. For patients requiring additional symptomatic relief the dose may be increased every 4 – 7 days to a maximum of 0,54 mg per day
Available Sizes (in Germany)	Sifrol® 0,088 mg: 30 Tablets Sifrol® 0,18 mg: 30 Tablets; 100 Tablets Sifrol® 0,35 mg: 30 Tablets; 100 Tablets Sifrol® 0,7 mg: 100 Tablets

Lieber Patient,

bitte beachten Sie, dass diese kurze Beschreibung ausschließlich dazu dient, bei Auslandsreisen die Behörden Ihres Einreiselandes über Art und Inhalt Ihres Arzneimittels zu informieren. Sie ersetzt nicht den Original-Beipackzettel. Wir empfehlen Ihnen, diese Beschreibung zusammen mit Ihrem Arzneimittel und dem Beipackzettel aufzubewahren und auf Verlangen vorzuzeigen.

Mit freundlichen Grüßen
Boehringer Ingelheim Pharma GmbH & Co. KG